

Función

	proglide300+	proglide300				
	4040-650-300	4070-650-300	4040-650-200	4070-650-200	4040-650-100	4070-650-100

Mobility & Efficiencies

OneTouch Wheelbase® System	√	√	-	-	-	-
Hand Control with OneTouch Patient Positioning® System	√	√	√	√	-	-
2 Programmable Positions & Return-to-Home						
Two function foot control with Hi-Lo and power back	√	-	√	-	√	-
One function foot control with Hi-Lo	-	√	-	√	-	√
Power Hi-Lo + Power Backrest	√	-	√	-	√	-
Power Hi-Lo with Air-Spring Assisted Manual Backrest	-	√	-	√	-	√
Dual electro-mechanical actuator system for efficient speed	√	√	√	√	√	√

Accessibility	proglide300+	proglide300				
	4040-650-300	4070-650-300	4040-650-200	4070-650-200	4040-650-100	4070-650-100
650lb (294.84kg) Patient Weight Capacity	√	√	√	√	√	√
Low-access ADA Height 18.5" (±0.5") – 46.9cm (±1.27cm)	√	√	√	√	√	√
Pelvic tilt (7°)	√	√	√	√	√	√
Drain Pan: Stainless steel	√	√	√	√	√	√
1.5" deep (3.81cm)						
Large front storage drawer	√	√	√	√	√	√
Side storage drawer – reversible	√	√	√	√	–	–
Patient Experience	proglide300+	proglide300				
	4040-650-300	4070-650-300	4040-650-200	4070-650-200	4040-650-100	4070-650-100
Removable, Seamless Upholstered	√	√	√	√	√	√

Cushion with Antimicrobial Guard						
One touch, easy-glide stirrups with 4 lateral positions and friction lock length adjustment	√	√	√	√	√	√
Comfort front leg cushion	√	√	√	√	√	√
Heavy gauge steel extension leg pull-out to accommodate all patient heights	√	√	√	√	√	√
Electrical	proglide300+	proglide300				
	4040-650-300	4070-650-300	4040-650-200	4070-650-200	4040-650-100	4070-650-100
Hospital grade receptacle 110V with child safety cover (patient left)	√	√	√	√	-	-
Drawer warmer 110V	√	√	-	-	-	-

Quality	proglide300+	proglide300				
	4040-650-300	4070-650-300	4040-650-200	4070-650-200	4040-650-100	4070-650-100
3 year limited warranty	√	√	√	√	√	√
Heavy steel construction	√	√	√	√	√	√
Easy-clean powder coat enamel surfaces	√	√	√	√	√	√